



Stantec Consulting Services Inc.
3052 Beaumont Centre Circle, Lexington KY 40513-1703

December 19, 2017
File: let_001_175655042_NOC_Rev_A

Tennessee Valley Authority
1101 Market Street
Chattanooga, Tennessee 37402

**Reference: Notification of Closure Completion
Bottom Ash Pond
EPA Final Coal Combustion Residuals (CCR) Rule
TVA John Sevier Fossil Plant
Rogersville, Tennessee**

1.0 PURPOSE

This letter provides notification of closure completion of the John Sevier Fossil Plant's Bottom Ash Pond, and Stantec's certification of the closure.

2.0 NOTIFICATION OF CLOSURE COMPLETION

On December 19, 2017, closure was completed for the Bottom Ash Pond at the John Sevier Fossil Plant in accordance with the closure plan developed per 40 CFR 257.102(b). As required by 40 CFR 257.102(h), this notification of closure has been prepared, including the certification of completion of closure, by a qualified professional engineer [per 40 CFR 257.102(f)(3)], and placed in the facility's operating record [per 40 CFR 257.105(i)(8)].

3.0 QUALIFIED PROFESSIONAL ENGINEER CERTIFICATION

I, Don W. Fuller II, being a Professional Engineer in good standing in the State of Tennessee, do hereby certify, to the best of my knowledge, information, and belief:

1. that the information contained in this certification is prepared in accordance with the accepted practice of engineering;
2. that the information contained herein is accurate as of the date of my signature below;
and
3. that the John Sevier Fossil Plant's Bottom Ash Pond has been closed in accordance with the closure plan developed per 40 CFR 257.102(b).



December 19, 2017
Tennessee Valley Authority
Page 2 of 2

Reference: Notification of Closure Completion
Bottom Ash Pond
EPA Final Coal Combustion Residuals (CCR) Rule
TVA John Sevier Fossil Plant
Rogersville, Tennessee

SIGNATURE 
Don W. Fuller II, PE

DATE 12/19/2017

ADDRESS: Stantec Consulting Services Inc.
3052 Beaumont Circle
Lexington, Kentucky 40513-1703

TELEPHONE: (859) 422-3000



Design with community in mind